













SPECIFICATION

000		
CONSTRUCTION	Luxury Vinyl Tile with iGuard Surface	
PLANK SIZE WOOD	EN ISO 24346	185×1220 mm
	EN ISO 24346	158×950 mm*
PLANK SIZE STONE	EN ISO 24346	305×610 mm
THICKNESS	EN ISO 24346	2.5 mm
WEAR LAYER	EN ISO 24340	0.55 mm
TOTAL WEIGHT	EN ISO 23997	3.8 kg/m ²
CLASSIFICATION		
BINDER CONTENT	EN ISO 10582	Type I.
EUROPEAN CLASSIFICATION	EN ISO 10582	class: 33/42
RESIDUAL INDENTATION	EN ISO 24343	max. 0.1 mm
DIMENSIONAL STABILITY	EN ISO 23999	max. 0.15 %
CURLING	EN ISO 23999	max. 2 mm
PERFORMANCE		
ABRASION GROUP	MSZ EN 660-1	class: T
FIRE RESISTANCE	EN 13501-1	class: Bfl-s1
SLIP RESISTANCE	EN 13893	DS
ELECTRICAL PROPERTIES	EN 1815	max. 2 kV / Antista
THERMAL RESISTANCE	ISO 8302	0.014 m ² K/W
LIGHT FASTNESS	EN ISO 105-B0	grade 6
CHEMICAL RESISTANCE	EN ISO 26987	✓
	ASTM F925	✓
HYGENIE	bacterial resistant	
CASTOR CHAIR RESISTANCE	EN 425 / ISO 4918	✓
ENVIRONMENTAL ATTRIBUTES	solvent and phthalate free	
SURFACE TREATMENT	iGuard PUR Surface / Easy cleaning	
CONTENT OF PCP	EN 12673	does not contain
FORMALDEHIDE EMISSION	ENV 717-1	E1 (no emission)
VOC		pass
CE MARKING	EN 14041	✓



GRABOPLAST
FLOOR COVERING MANUFACTURERS LTD.
H-9023 Győr, Fehérvári út. 16/b. Telefon: (+36) 96 506-100
www.graboplast.com



www.facebook.com/graboplast















BRIENNE

VARYS

MYRCELLA

PODRICK







TARLY

YGRITTE

MISSANDEI

The Grabo LVT floorings are inspired by nature, manufactured with *phthalate free* technology and provides an environmentally friendly flooring solution for the users.



Grabo Plank/T is a long lasting flooring solution due to its durability against impacts, stains and scratches thus it is a perfect choice for shops, offices, hotels, restaurants or any other hospitality areas.




Our product has iGuard surface coating with low maintenance requirement.




Due to it's glass fibre reinforcement Grabo Plank/T is a *dimensionally stable LVT flooring* with sound insulating properties and warm underfoot feeling.




Its flexibility provides economic, easy and quick installation.









LUWIN

N

ROYCE

HODOR